

NAME

xcb_get_pointer_control -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_get_pointer_control_cookie_t xcb_get_pointer_control(xcb_connection_t *conn,
```

Reply datastructure

```
typedef struct xcb_get_pointer_control_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint16_t acceleration_numerator;
    uint16_t acceleration_denominator;
    uint16_t threshold;
    uint8_t pad1[18];
} xcb_get_pointer_control_reply_t;
```

Reply function

```
xcb_get_pointer_control_reply_t *xcb_get_pointer_control_reply(xcb_connection_t *conn,
    xcb_get_pointer_control_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_GET_POINTER_CONTROL*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

acceleration_numerator
 TODO: NOT YET DOCUMENTED.

acceleration_denominator

TODO: NOT YET DOCUMENTED.

threshold

TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_get_pointer_control_cookie_t*. Errors have to be handled when calling the reply function *xcb_get_pointer_control_reply*.

If you want to handle errors in the event loop instead, use *xcb_get_pointer_control_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.