

NAME

xcb_glx_create_context -

SYNOPSIS

```
#include <xcb/glx.h>
```

Request function

```
xcb_void_cookie_t xcb_glx_create_context(xcb_connection_t *conn, xcb_glx_context_t context,  
xcb_visualid_t visual, uint32_t screen, xcb_glx_context_t share_list, uint8_t is_direct);
```

REQUEST ARGUMENTS

| | |
|-------------------|----------------------------|
| <i>conn</i> | The XCB connection to X11. |
| <i>context</i> | TODO: NOT YET DOCUMENTED. |
| <i>visual</i> | TODO: NOT YET DOCUMENTED. |
| <i>screen</i> | TODO: NOT YET DOCUMENTED. |
| <i>share_list</i> | TODO: NOT YET DOCUMENTED. |
| <i>is_direct</i> | TODO: NOT YET DOCUMENTED. |

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_glx_create_context_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from glx.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.