

NAME

xcb_glx_make_current -

SYNOPSIS

```
#include <xcb/glx.h>
```

Request function

```
xcb_glx_make_current_cookie_t xcb_glx_make_current(xcb_connection_t *conn,
    xcb_glx_drawable_t drawable, xcb_glx_context_t context,
    xcb_glx_context_tag_t old_context_tag);
```

Reply datastructure

```
typedef struct xcb_glx_make_current_reply_t {
    uint8_t      response_type;
    uint8_t      pad0;
    uint16_t     sequence;
    uint32_t     length;
    xcb_glx_context_tag_t context_tag;
    uint8_t      pad1[20];
} xcb_glx_make_current_reply_t;
```

Reply function

```
xcb_glx_make_current_reply_t *xcb_glx_make_current_reply(xcb_connection_t *conn,
    xcb_glx_make_current_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

drawable TODO: NOT YET DOCUMENTED.

context TODO: NOT YET DOCUMENTED.

old_context_tag
 TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_GLX_MAKE_CURRENT*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

- sequence* The sequence number of the last request processed by the X11 server.
- length* The length of the reply, in words (a word is 4 bytes).
- context_tag* TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_glx_make_current_cookie_t*. Errors have to be handled when calling the reply function *xcb_glx_make_current_reply*.

If you want to handle errors in the event loop instead, use *xcb_glx_make_current_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from glx.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.