

NAME

xcb_graphics_exposure_event_t -

SYNOPSIS

#include <xcb/xproto.h>

Event datastructure

```
typedef struct xcb_graphics_exposure_event_t {
    uint8_t    response_type;
    uint8_t    pad0;
    uint16_t   sequence;
    xcb_drawable_t drawable;
    uint16_t   x;
    uint16_t   y;
    uint16_t   width;
    uint16_t   height;
    uint16_t   minor_opcode;
    uint16_t   count;
    uint8_t    major_opcode;
    uint8_t    pad1[3];
} xcb_graphics_exposure_event_t;
```

EVENT FIELDS

<i>response_type</i>	The type of this event, in this case <i>XCB_GRAPHICS_EXPOSURE</i> . This field is also present in the <i>xcb_generic_event_t</i> and can be used to tell events apart from each other.
<i>sequence</i>	The sequence number of the last request processed by the X11 server.
<i>drawable</i>	NOT YET DOCUMENTED.
<i>x</i>	NOT YET DOCUMENTED.
<i>y</i>	NOT YET DOCUMENTED.
<i>width</i>	NOT YET DOCUMENTED.
<i>height</i>	NOT YET DOCUMENTED.

minor_opcode NOT YET DOCUMENTED.

count NOT YET DOCUMENTED.

major_opcode NOT YET DOCUMENTED.

DESCRIPTION**SEE ALSO****AUTHOR**

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.