

NAME

xcb_graphics_exposure_event_t -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Event datastructure

```
typedef struct xcb_graphics_exposure_event_t {
    uint8_t    response_type;
    uint8_t    pad0;
    uint16_t   sequence;
    xcb_drawable_t drawable;
    uint16_t   x;
    uint16_t   y;
    uint16_t   width;
    uint16_t   height;
    uint16_t   minor_opcode;
    uint16_t   count;
    uint8_t    major_opcode;
    uint8_t    pad1[3];
} xcb_graphics_exposure_event_t;
```

EVENT FIELDS

response_type The type of this event, in this case *XCB_GRAPHICS_EXPOSURE*. This field is also present in the *xcb_generic_event_t* and can be used to tell events apart from each other.

sequence The sequence number of the last request processed by the X11 server.

drawable NOT YET DOCUMENTED.

x NOT YET DOCUMENTED.

y NOT YET DOCUMENTED.

width NOT YET DOCUMENTED.

height NOT YET DOCUMENTED.

minor_opcode NOT YET DOCUMENTED.

count NOT YET DOCUMENTED.

major_opcode NOT YET DOCUMENTED.

DESCRIPTION

SEE ALSO

AUTHOR

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.