

NAME

xcb_input_barrier_hit_event_t -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Event datastructure

```
typedef struct xcb_input_barrier_hit_event_t {
    uint8_t      response_type;
    uint8_t      extension;
    uint16_t     sequence;
    uint32_t     length;
    uint16_t     event_type;
    xcb_input_device_id_t deviceid;
    xcb_timestamp_t time;
    uint32_t     eventid;
    xcb_window_t root;
    xcb_window_t event;
    xcb_xfixes_barrier_t barrier;
    uint32_t     full_sequence;
    uint32_t     dtime;
    uint32_t     flags;
    xcb_input_device_id_t sourceid;
    uint8_t      pad0[2];
    xcb_input_fp1616_t root_x;
    xcb_input_fp1616_t root_y;
    xcb_input_fp3232_t dx;
    xcb_input_fp3232_t dy;
} xcb_input_barrier_hit_event_t;
```

EVENT FIELDS

response_type The type of this event, in this case `XCB_INPUT_BARRIER_LEAVE`. This field is also present in the `xcb_generic_event_t` and can be used to tell events apart from each other.

sequence The sequence number of the last request processed by the X11 server.

extension NOT YET DOCUMENTED.

<i>length</i>	NOT YET DOCUMENTED.
<i>event_type</i>	NOT YET DOCUMENTED.
<i>deviceid</i>	NOT YET DOCUMENTED.
<i>time</i>	NOT YET DOCUMENTED.
<i>eventid</i>	NOT YET DOCUMENTED.
<i>root</i>	NOT YET DOCUMENTED.
<i>event</i>	NOT YET DOCUMENTED.
<i>barrier</i>	NOT YET DOCUMENTED.
<i>full_sequence</i>	NOT YET DOCUMENTED.
<i>dtime</i>	NOT YET DOCUMENTED.
<i>flags</i>	NOT YET DOCUMENTED.
<i>sourceid</i>	NOT YET DOCUMENTED.
<i>root_x</i>	NOT YET DOCUMENTED.
<i>root_y</i>	NOT YET DOCUMENTED.
<i>dx</i>	NOT YET DOCUMENTED.
<i>dy</i>	NOT YET DOCUMENTED.

DESCRIPTION**SEE ALSO****AUTHOR**

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.