

**NAME**

xcb\_input\_change\_device\_control -

**SYNOPSIS**

```
#include <xcb/xinput.h>
```

**Request function**

```
xcb_input_change_device_control_cookie_t
    xcb_input_change_device_control(xcb_connection_t *conn, uint16_t control_id,
    uint8_t device_id, xcb_input_device_ctl_t *control);
```

**Reply datastructure**

```
typedef struct xcb_input_change_device_control_reply_t {
    uint8_t response_type;
    uint8_t xi_reply_type;
    uint16_t sequence;
    uint32_t length;
    uint8_t status;
    uint8_t pad0[23];
} xcb_input_change_device_control_reply_t;
```

**Reply function**

```
xcb_input_change_device_control_reply_t
    *xcb_input_change_device_control_reply(xcb_connection_t *conn,
    xcb_input_change_device_control_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>control_id</i>	TODO: NOT YET DOCUMENTED.
<i>device_id</i>	TODO: NOT YET DOCUMENTED.
<i>control</i>	TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

*response\_type* The type of this reply, in this case *XCB\_INPUT\_CHANGE\_DEVICE\_CONTROL*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*      The sequence number of the last request processed by the X11 server.

*length*        The length of the reply, in words (a word is 4 bytes).

*xi\_reply\_type*    TODO: NOT YET DOCUMENTED.

*status*         TODO: NOT YET DOCUMENTED.

## DESCRIPTION

### RETURN VALUE

Returns an *xcb\_input\_change\_device\_control\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_input\_change\_device\_control\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_input\_change\_device\_control\_unchecked*. See **xcb-requests(3)** for details.

### ERRORS

This request does never generate any errors.

### SEE ALSO

### AUTHOR

Generated from xinput.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.