

**NAME**

xcb\_input\_change\_device\_property -

**SYNOPSIS**

```
#include <xcb/xinput.h>
```

**Request function**

```
xcb_void_cookie_t xcb_input_change_device_property(xcb_connection_t *conn, xcb_atom_t property,  
          xcb_atom_t type, uint8_t device_id, uint8_t format, uint8_t mode, uint32_t num_items, const  
          void *items);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>property</i>	TODO: NOT YET DOCUMENTED.
<i>type</i>	TODO: NOT YET DOCUMENTED.
<i>device_id</i>	TODO: NOT YET DOCUMENTED.
<i>format</i>	TODO: NOT YET DOCUMENTED.
<i>mode</i>	TODO: NOT YET DOCUMENTED.
<i>num_items</i>	TODO: NOT YET DOCUMENTED.
<i>items</i>	TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_input\_change\_device\_property\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

xcb\_input\_change\_device\_property(3)

XCB Requests

xcb\_input\_change\_device\_property(3)

Generated from xinput.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.