

NAME

xcb_input_change_device_property -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_void_cookie_t xcb_input_change_device_property(xcb_connection_t *conn, xcb_atom_t property,  
xcb_atom_t type, uint8_t device_id, uint8_t format, uint8_t mode, uint32_t num_items, const  
void *items);
```

REQUEST ARGUMENTS

| | |
|------------------|----------------------------|
| <i>conn</i> | The XCB connection to X11. |
| <i>property</i> | TODO: NOT YET DOCUMENTED. |
| <i>type</i> | TODO: NOT YET DOCUMENTED. |
| <i>device_id</i> | TODO: NOT YET DOCUMENTED. |
| <i>format</i> | TODO: NOT YET DOCUMENTED. |
| <i>mode</i> | TODO: NOT YET DOCUMENTED. |
| <i>num_items</i> | TODO: NOT YET DOCUMENTED. |
| <i>items</i> | TODO: NOT YET DOCUMENTED. |

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_input_change_device_property_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

xcb_input_change_device_property(3)

XCB Requests

xcb_input_change_device_property(3)

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.