

xcb_input_device_mapping_notify_event_t(3) XCB Events xcb_input_device_mapping_notify_event_t(3)

NAME

xcb_input_device_mapping_notify_event_t -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Event datastructure

```
typedef struct xcb_input_device_mapping_notify_event_t {
    uint8_t      response_type;
    uint8_t      device_id;
    uint16_t     sequence;
    uint8_t      request;
    xcb_input_key_code_t first_keycode;
    uint8_t      count;
    uint8_t      pad0;
    xcb_timestamp_t time;
    uint8_t      pad1[20];
} xcb_input_device_mapping_notify_event_t;
```

EVENT FIELDS

response_type The type of this event, in this case *XCB_INPUT_DEVICE_MAPPING_NOTIFY*. This field is also present in the *xcb_generic_event_t* and can be used to tell events apart from each other.

sequence The sequence number of the last request processed by the X11 server.

device_id NOT YET DOCUMENTED.

request NOT YET DOCUMENTED.

first_keycode NOT YET DOCUMENTED.

count NOT YET DOCUMENTED.

time NOT YET DOCUMENTED.

DESCRIPTION

SEE ALSO

AUTHOR

xcb_input_device_mapping_notify_event_t(3) XCB Events xcb_input_device_mapping_notify_event_t(3)

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.