

NAME

xcb_input_enter_event_t -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Event datastructure

```
typedef struct xcb_input_enter_event_t {
    uint8_t      response_type;
    uint8_t      extension;
    uint16_t     sequence;
    uint32_t     length;
    uint16_t     event_type;
    xcb_input_device_id_t deviceid;
    xcb_timestamp_t time;
    xcb_input_device_id_t sourceid;
    uint8_t      mode;
    uint8_t      detail;
    xcb_window_t root;
    xcb_window_t event;
    xcb_window_t child;
    uint32_t     full_sequence;
    xcb_input_fp1616_t root_x;
    xcb_input_fp1616_t root_y;
    xcb_input_fp1616_t event_x;
    xcb_input_fp1616_t event_y;
    uint8_t      same_screen;
    uint8_t      focus;
    uint16_t     buttons_len;
    xcb_input_modifier_info_t mods;
    xcb_input_group_info_t group;
} xcb_input_enter_event_t;
```

EVENT FIELDS

response_type The type of this event, in this case *XCB_INPUT_FOCUS_OUT*. This field is also present in the *xcb_generic_event_t* and can be used to tell events apart from each other.

sequence The sequence number of the last request processed by the X11 server.

<i>extension</i>	NOT YET DOCUMENTED.
<i>length</i>	NOT YET DOCUMENTED.
<i>event_type</i>	NOT YET DOCUMENTED.
<i>deviceid</i>	NOT YET DOCUMENTED.
<i>time</i>	NOT YET DOCUMENTED.
<i>sourceid</i>	NOT YET DOCUMENTED.
<i>mode</i>	NOT YET DOCUMENTED.
<i>detail</i>	NOT YET DOCUMENTED.
<i>root</i>	NOT YET DOCUMENTED.
<i>event</i>	NOT YET DOCUMENTED.
<i>child</i>	NOT YET DOCUMENTED.
<i>full_sequence</i>	NOT YET DOCUMENTED.
<i>root_x</i>	NOT YET DOCUMENTED.
<i>root_y</i>	NOT YET DOCUMENTED.
<i>event_x</i>	NOT YET DOCUMENTED.
<i>event_y</i>	NOT YET DOCUMENTED.
<i>same_screen</i>	NOT YET DOCUMENTED.
<i>focus</i>	NOT YET DOCUMENTED.
<i>buttons_len</i>	NOT YET DOCUMENTED.
<i>mods</i>	NOT YET DOCUMENTED.

group

NOT YET DOCUMENTED.

DESCRIPTION

SEE ALSO

AUTHOR

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.