

xcb_input_get_device_dont_propagate_list(3) XCB Requests

NAME

xcb_input_get_device_dont_propagate_list -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_input_get_device_dont_propagate_list_cookie_t  
xcb_input_get_device_dont_propagate_list(xcb_connection_t *conn, xcb_window_t window);
```

Reply datastructure

```
typedef struct xcb_input_get_device_dont_propagate_list_reply_t {  
    uint8_t response_type;  
    uint8_t xi_reply_type;  
    uint16_t sequence;  
    uint32_t length;  
    uint16_t num_classes;  
    uint8_t pad0[22];  
} xcb_input_get_device_dont_propagate_list_reply_t;
```

Reply function

```
xcb_input_get_device_dont_propagate_list_reply_t  
*xcb_input_get_device_dont_propagate_list_reply(xcb_connection_t *conn,  
xcb_input_get_device_dont_propagate_list_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
xcb_input_event_class_t *xcb_input_get_device_dont_propagate_list_classes(const  
xcb_input_get_device_dont_propagate_list_request_t *reply);  
  
int xcb_input_get_device_dont_propagate_list_classes_length(const  
xcb_input_get_device_dont_propagate_list_reply_t *reply);  
  
xcb_generic_iterator_t xcb_input_get_device_dont_propagate_list_classes_end(const  
xcb_input_get_device_dont_propagate_list_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

window TODO: NOT YET DOCUMENTED.

REPLY FIELDS

- response_type* The type of this reply, in this case `XCB_INPUT_GET_DEVICE_DONT_PROPAGATE_LIST`. This field is also present in the `xcb_generic_reply_t` and can be used to tell replies apart from each other.
- sequence* The sequence number of the last request processed by the X11 server.
- length* The length of the reply, in words (a word is 4 bytes).
- xi_reply_type* TODO: NOT YET DOCUMENTED.
- num_classes* TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an `xcb_input_get_device_dont_propagate_list_cookie_t`. Errors have to be handled when calling the reply function `xcb_input_get_device_dont_propagate_list_reply`.

If you want to handle errors in the event loop instead, use `xcb_input_get_device_dont_propagate_list_unchecked`. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.