

NAME

xcb_input_get_extension_version -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_input_get_extension_version_cookie_t
```

```
    xcb_input_get_extension_version(xcb_connection_t *conn, uint16_t name_len, const char *name);
```

Reply datastructure

```
typedef struct xcb_input_get_extension_version_reply_t {
    uint8_t response_type;
    uint8_t xi_reply_type;
    uint16_t sequence;
    uint32_t length;
    uint16_t server_major;
    uint16_t server_minor;
    uint8_t present;
    uint8_t pad0[19];
} xcb_input_get_extension_version_reply_t;
```

Reply function

```
xcb_input_get_extension_version_reply_t
```

```
    *xcb_input_get_extension_version_reply(xcb_connection_t *conn,
    xcb_input_get_extension_version_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

name_len TODO: NOT YET DOCUMENTED.

name TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case `XCB_INPUT_GET_EXTENSION_VERSION`. This field is also present in the `xcb_generic_reply_t` and can be used to tell replies apart from each other.

<i>sequence</i>	The sequence number of the last request processed by the X11 server.
<i>length</i>	The length of the reply, in words (a word is 4 bytes).
<i>xi_reply_type</i>	TODO: NOT YET DOCUMENTED.
<i>server_major</i>	TODO: NOT YET DOCUMENTED.
<i>server_minor</i>	TODO: NOT YET DOCUMENTED.
<i>present</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_input_get_extension_version_cookie_t*. Errors have to be handled when calling the reply function *xcb_input_get_extension_version_reply*.

If you want to handle errors in the event loop instead, use *xcb_input_get_extension_version_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.