

NAME

xcb_input_grab_device_key -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_void_cookie_t xcb_input_grab_device_key(xcb_connection_t *conn,  
      xcb_window_t grab_window, uint16_t num_classes, uint16_t modifiers, uint8_t modifier_device,  
      uint8_t grabbed_device, uint8_t key, uint8_t this_device_mode, uint8_t other_device_mode,  
      uint8_t owner_events, const xcb_input_event_class_t *classes);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

grab_window TODO: NOT YET DOCUMENTED.

num_classes TODO: NOT YET DOCUMENTED.

modifiers TODO: NOT YET DOCUMENTED.

modifier_device
 TODO: NOT YET DOCUMENTED.

grabbed_device
 TODO: NOT YET DOCUMENTED.

key TODO: NOT YET DOCUMENTED.

this_device_mode
 TODO: NOT YET DOCUMENTED.

other_device_mode
 TODO: NOT YET DOCUMENTED.

owner_events TODO: NOT YET DOCUMENTED.

classes TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_input_grab_device_key_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.