

NAME

xcb_input_send_extension_event -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_void_cookie_t xcb_input_send_extension_event(xcb_connection_t *conn,  
        xcb_window_t destination, uint8_t device_id, uint8_t propagate, uint16_t num_classes,  
        uint8_t num_events, const xcb_input_event_for_send_t *events, const  
        xcb_input_event_class_t *classes);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>destination</i>	TODO: NOT YET DOCUMENTED.
<i>device_id</i>	TODO: NOT YET DOCUMENTED.
<i>propagate</i>	TODO: NOT YET DOCUMENTED.
<i>num_classes</i>	TODO: NOT YET DOCUMENTED.
<i>num_events</i>	TODO: NOT YET DOCUMENTED.
<i>events</i>	TODO: NOT YET DOCUMENTED.
<i>classes</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_input_send_extension_event_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

xcb_input_send_extension_event(3)

XCB Requests

xcb_input_send_extension_event(3)

AUTHOR

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.