

**NAME**

xcb\_input\_send\_extension\_event -

**SYNOPSIS**

```
#include <xcb/xinput.h>
```

**Request function**

```
xcb_void_cookie_t xcb_input_send_extension_event(xcb_connection_t *conn,  
        xcb_window_t destination, uint8_t device_id, uint8_t propagate, uint16_t num_classes,  
        uint8_t num_events, const xcb_input_event_for_send_t *events, const  
        xcb_input_event_class_t *classes);
```

**REQUEST ARGUMENTS**

|                    |                            |
|--------------------|----------------------------|
| <i>conn</i>        | The XCB connection to X11. |
| <i>destination</i> | TODO: NOT YET DOCUMENTED.  |
| <i>device_id</i>   | TODO: NOT YET DOCUMENTED.  |
| <i>propagate</i>   | TODO: NOT YET DOCUMENTED.  |
| <i>num_classes</i> | TODO: NOT YET DOCUMENTED.  |
| <i>num_events</i>  | TODO: NOT YET DOCUMENTED.  |
| <i>events</i>      | TODO: NOT YET DOCUMENTED.  |
| <i>classes</i>     | TODO: NOT YET DOCUMENTED.  |

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_input\_send\_extension\_event\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO**

**AUTHOR**

Generated from xinput.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.