

NAME

xcb_input_xi_allow_events -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_void_cookie_t xcb_input_xi_allow_events(xcb_connection_t *conn, xcb_timestamp_t time,  
      xcb_input_device_id_t deviceid, uint8_t event_mode, uint32_t touchid,  
      xcb_window_t grab_window);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>time</i>	TODO: NOT YET DOCUMENTED.
<i>deviceid</i>	TODO: NOT YET DOCUMENTED.
<i>event_mode</i>	TODO: NOT YET DOCUMENTED.
<i>touchid</i>	TODO: NOT YET DOCUMENTED.
<i>grab_window</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_input_xi_allow_events_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.