

NAME

xcb_input_xi_warp_pointer -

SYNOPSIS

```
#include <xcb/xinput.h>
```

Request function

```
xcb_void_cookie_t xcb_input_xi_warp_pointer(xcb_connection_t *conn, xcb_window_t src_win,
      xcb_window_t dst_win, xcb_input_fp1616_t src_x, xcb_input_fp1616_t src_y, uint16_t src_width,
      uint16_t src_height, xcb_input_fp1616_t dst_x, xcb_input_fp1616_t dst_y,
      xcb_input_device_id_t deviceid);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>src_win</i>	TODO: NOT YET DOCUMENTED.
<i>dst_win</i>	TODO: NOT YET DOCUMENTED.
<i>src_x</i>	TODO: NOT YET DOCUMENTED.
<i>src_y</i>	TODO: NOT YET DOCUMENTED.
<i>src_width</i>	TODO: NOT YET DOCUMENTED.
<i>src_height</i>	TODO: NOT YET DOCUMENTED.
<i>dst_x</i>	TODO: NOT YET DOCUMENTED.
<i>dst_y</i>	TODO: NOT YET DOCUMENTED.
<i>deviceid</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_input_xi_warp_pointer_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xinput.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.