

NAME

`xcb_list_fonts` - get matching font names

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_list_fonts_cookie_t xcb_list_fonts(xcb_connection_t *conn, uint16_t max_names,
                                         uint16_t pattern_len, const char *pattern);
```

Reply datastructure

```
typedef struct xcb_list_fonts_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint16_t names_len;
    uint8_t pad1[22];
} xcb_list_fonts_reply_t;
```

Reply function

```
xcb_list_fonts_reply_t *xcb_list_fonts_reply(xcb_connection_t *conn, xcb_list_fonts_cookie_t cookie,
                                             xcb_generic_error_t **e);
```

Reply accessors

```
int xcb_list_fonts_names_length(const xcb_list_fonts_reply_t *reply);
```

```
xcb_str_iterator_t xcb_list_fonts_names_iterator(const xcb_list_fonts_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

max_names The maximum number of fonts to be returned.

pattern_len The length (in bytes) of *pattern*.

pattern A font pattern, for example "-misc-fixed-*".

The asterisk (*) is a wildcard for any number of characters. The question mark (?) is a

wildcard for a single character. Use of uppercase or lowercase does not matter.

REPLY FIELDS

- response_type* The type of this reply, in this case *XCB_LIST_FONTS*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.
- sequence* The sequence number of the last request processed by the X11 server.
- length* The length of the reply, in words (a word is 4 bytes).
- names_len* The number of font names.

DESCRIPTION

Gets a list of available font names which match the given *pattern*.

RETURN VALUE

Returns an *xcb_list_fonts_cookie_t*. Errors have to be handled when calling the reply function *xcb_list_fonts_reply*.

If you want to handle errors in the event loop instead, use *xcb_list_fonts_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

xcb-requests(3)

AUTHOR

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.