

**NAME**

xcb\_present\_notify\_msc -

**SYNOPSIS**

```
#include <xcb/present.h>
```

**Request function**

```
xcb_void_cookie_t xcb_present_notify_msc(xcb_connection_t *conn, xcb_window_t window,  
uint32_t serial, uint64_t target_msc, uint64_t divisor, uint64_t remainder);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>window</i>	TODO: NOT YET DOCUMENTED.
<i>serial</i>	TODO: NOT YET DOCUMENTED.
<i>target_msc</i>	TODO: NOT YET DOCUMENTED.
<i>divisor</i>	TODO: NOT YET DOCUMENTED.
<i>remainder</i>	TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_present\_notify\_msc\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

Generated from present.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.