

NAME

xcb_present_pixmap -

SYNOPSIS

```
#include <xcb/present.h>
```

Request function

```
xcb_void_cookie_t xcb_present_pixmap(xcb_connection_t *conn, xcb_window_t window,
                                       xcb_pixmap_t pixmap, uint32_t serial, xcb_xfixes_region_t valid, xcb_xfixes_region_t update,
                                       int16_t x_off, int16_t y_off, xcb_randr_crtc_t target_crtc, xcb_sync_fence_t wait_fence,
                                       xcb_sync_fence_t idle_fence, uint32_t options, uint64_t target_msc, uint64_t divisor,
                                       uint64_t remainder, uint32_t notifies_len, const xcb_present_notify_t *notifies);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

window TODO: NOT YET DOCUMENTED.

pixmap TODO: NOT YET DOCUMENTED.

serial TODO: NOT YET DOCUMENTED.

valid TODO: NOT YET DOCUMENTED.

update TODO: NOT YET DOCUMENTED.

x_off TODO: NOT YET DOCUMENTED.

y_off TODO: NOT YET DOCUMENTED.

target_crtc TODO: NOT YET DOCUMENTED.

wait_fence TODO: NOT YET DOCUMENTED.

idle_fence TODO: NOT YET DOCUMENTED.

options TODO: NOT YET DOCUMENTED.

target_msc TODO: NOT YET DOCUMENTED.

divisor TODO: NOT YET DOCUMENTED.

remainder TODO: NOT YET DOCUMENTED.

notifies_len TODO: NOT YET DOCUMENTED.

notifies TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_present_pixmap_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from present.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.