

NAME

`xcb_put_image` -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_void_cookie_t xcb_put_image(xcb_connection_t *conn, uint8_t format, xcb_drawable_t drawable,
    xcb_gcontext_t gc, uint16_t width, uint16_t height, int16_t dst_x, int16_t dst_y, uint8_t left_pad,
    uint8_t depth, uint32_t data_len, const uint8_t *data);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

format One of the following values:

`XCB_IMAGE_FORMAT_XY_BITMAP`
 TODO: NOT YET DOCUMENTED.

`XCB_IMAGE_FORMAT_XY_PIXMAP`
 TODO: NOT YET DOCUMENTED.

`XCB_IMAGE_FORMAT_Z_PIXMAP`
 TODO: NOT YET DOCUMENTED.
 TODO: NOT YET DOCUMENTED.

drawable TODO: NOT YET DOCUMENTED.

gc TODO: NOT YET DOCUMENTED.

width TODO: NOT YET DOCUMENTED.

height TODO: NOT YET DOCUMENTED.

dst_x TODO: NOT YET DOCUMENTED.

dst_y TODO: NOT YET DOCUMENTED.

left_pad TODO: NOT YET DOCUMENTED.

depth TODO: NOT YET DOCUMENTED.

data_len TODO: NOT YET DOCUMENTED.

data TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_put_image_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.