

NAME

xcb_randr_create_lease -

SYNOPSIS

```
#include <xcb/randr.h>
```

Request function

```
xcb_randr_create_lease_cookie_t xcb_randr_create_lease(xcb_connection_t *conn,  
xcb_window_t window, xcb_randr_lease_t lid, uint16_t num_crtcs, uint16_t num_outputs, const  
xcb_randr_crtc_t *crtcs, const xcb_randr_output_t *outputs);
```

Reply datastructure

```
typedef struct xcb_randr_create_lease_reply_t {  
    uint8_t response_type;  
    uint8_t nfd;  
    uint16_t sequence;  
    uint32_t length;  
    uint8_t pad0[24];  
} xcb_randr_create_lease_reply_t;
```

Reply function

```
xcb_randr_create_lease_reply_t *xcb_randr_create_lease_reply(xcb_connection_t *conn,  
xcb_randr_create_lease_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>window</i>	TODO: NOT YET DOCUMENTED.
<i>lid</i>	TODO: NOT YET DOCUMENTED.
<i>num_crtcs</i>	TODO: NOT YET DOCUMENTED.
<i>num_outputs</i>	TODO: NOT YET DOCUMENTED.
<i>crtcs</i>	TODO: NOT YET DOCUMENTED.
<i>outputs</i>	TODO: NOT YET DOCUMENTED.

REPLY FIELDS

- response_type* The type of this reply, in this case *XCB_RANDR_CREATE_LEASE*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.
- sequence* The sequence number of the last request processed by the X11 server.
- length* The length of the reply, in words (a word is 4 bytes).
- nfd* TODO: NOT YET DOCUMENTED.
- master_fd* TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_randr_create_lease_cookie_t*. Errors have to be handled when calling the reply function *xcb_randr_create_lease_reply*.

If you want to handle errors in the event loop instead, use *xcb_randr_create_lease_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from randr.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.