

NAME

xcb_randr_query_provider_property -

SYNOPSIS

```
#include <xcb/randr.h>
```

Request function

```
xcb_randr_query_provider_property_cookie_t  
xcb_randr_query_provider_property(xcb_connection_t *conn, xcb_randr_provider_t provider,  
xcb_atom_t property);
```

Reply datastructure

```
typedef struct xcb_randr_query_provider_property_reply_t {  
    uint8_t response_type;  
    uint8_t pad0;  
    uint16_t sequence;  
    uint32_t length;  
    uint8_t pending;  
    uint8_t range;  
    uint8_t immutable;  
    uint8_t pad1[21];  
} xcb_randr_query_provider_property_reply_t;
```

Reply function

```
xcb_randr_query_provider_property_reply_t  
*xcb_randr_query_provider_property_reply(xcb_connection_t *conn,  
xcb_randr_query_provider_property_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
int32_t *xcb_randr_query_provider_property_valid_values(const  
xcb_randr_query_provider_property_request_t *reply);
```

```
int xcb_randr_query_provider_property_valid_values_length(const  
xcb_randr_query_provider_property_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_randr_query_provider_property_valid_values_end(const  
xcb_randr_query_provider_property_reply_t *reply);
```

REQUEST ARGUMENTS

xcb_randr_query_provider_property(3) XCB Requests xcb_randr_query_provider_property(3)

conn The XCB connection to X11.

provider TODO: NOT YET DOCUMENTED.

property TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_RANDR_QUERY_PROVIDER_PROPERTY*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

pending TODO: NOT YET DOCUMENTED.

range TODO: NOT YET DOCUMENTED.

immutable TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_randr_query_provider_property_cookie_t*. Errors have to be handled when calling the reply function *xcb_randr_query_provider_property_reply*.

If you want to handle errors in the event loop instead, use *xcb_randr_query_provider_property_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from randr.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.