

NAME

xcb_randr_set_crtc_gamma -

SYNOPSIS

```
#include <xcb/randr.h>
```

Request function

```
xcb_void_cookie_t xcb_randr_set_crtc_gamma(xcb_connection_t *conn, xcb_randr_crtc_t crtc,  
uint16_t size, const uint16_t *red, const uint16_t *green, const uint16_t *blue);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>crtc</i>	TODO: NOT YET DOCUMENTED.
<i>size</i>	TODO: NOT YET DOCUMENTED.
<i>red</i>	TODO: NOT YET DOCUMENTED.
<i>green</i>	TODO: NOT YET DOCUMENTED.
<i>blue</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_randr_set_crtc_gamma_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from randr.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.