

NAME

xcb_randr_set_crtc_transform -

SYNOPSIS

```
#include <xcb/randr.h>
```

Request function

```
xcb_void_cookie_t xcb_randr_set_crtc_transform(xcb_connection_t *conn, xcb_randr_crtc_t crtc,  
        xcb_render_transform_t transform, uint16_t filter_len, const char *filter_name,  
        uint32_t filter_params_len, const xcb_render_fixed_t *filter_params);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>crtc</i>	TODO: NOT YET DOCUMENTED.
<i>transform</i>	TODO: NOT YET DOCUMENTED.
<i>filter_len</i>	TODO: NOT YET DOCUMENTED.
<i>filter_name</i>	TODO: NOT YET DOCUMENTED.
<i>filter_params_len</i>	TODO: NOT YET DOCUMENTED.
<i>filter_params</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_randr_set_crtc_transform_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from randr.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.