

**NAME**

xcb\_record\_enable\_context -

**SYNOPSIS**

```
#include <xcb/record.h>
```

**Request function**

```
xcb_record_enable_context_cookie_t xcb_record_enable_context(xcb_connection_t *conn,
    xcb_record_context_t context);
```

**Reply datastructure**

```
typedef struct xcb_record_enable_context_reply_t {
    uint8_t      response_type;
    uint8_t      category;
    uint16_t     sequence;
    uint32_t     length;
    xcb_record_element_header_t element_header;
    uint8_t      client_swapped;
    uint8_t      pad0[2];
    uint32_t     xid_base;
    uint32_t     server_time;
    uint32_t     rec_sequence_num;
    uint8_t      pad1[8];
} xcb_record_enable_context_reply_t;
```

**Reply function**

```
xcb_record_enable_context_reply_t *xcb_record_enable_context_reply(xcb_connection_t *conn,
    xcb_record_enable_context_cookie_t cookie, xcb_generic_error_t **e);
```

**Reply accessors**

```
uint8_t *xcb_record_enable_context_data(const xcb_record_enable_context_request_t *reply);
```

```
int xcb_record_enable_context_data_length(const xcb_record_enable_context_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_record_enable_context_data_end(const xcb_record_enable_context_reply_t
    *reply);
```

**REQUEST ARGUMENTS**

*conn*           The XCB connection to X11.

*context*      TODO: NOT YET DOCUMENTED.

## REPLY FIELDS

*response\_type*      The type of this reply, in this case *XCB\_RECORD\_ENABLE\_CONTEXT*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*      The sequence number of the last request processed by the X11 server.

*length*      The length of the reply, in words (a word is 4 bytes).

*category*      TODO: NOT YET DOCUMENTED.

*element\_header*  
                  TODO: NOT YET DOCUMENTED.

*client\_swapped*      TODO: NOT YET DOCUMENTED.

*xid\_base*      TODO: NOT YET DOCUMENTED.

*server\_time*      TODO: NOT YET DOCUMENTED.

*rec\_sequence\_num*  
                  TODO: NOT YET DOCUMENTED.

## DESCRIPTION

### RETURN VALUE

Returns an *xcb\_record\_enable\_context\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_record\_enable\_context\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_record\_enable\_context\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

### AUTHOR

Generated from record.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.