

NAME

xcb_record_enable_context -

SYNOPSIS

```
#include <xcb/record.h>
```

Request function

```
xcb_record_enable_context_cookie_t xcb_record_enable_context(xcb_connection_t *conn,
    xcb_record_context_t context);
```

Reply datastructure

```
typedef struct xcb_record_enable_context_reply_t {
    uint8_t      response_type;
    uint8_t      category;
    uint16_t     sequence;
    uint32_t     length;
    xcb_record_element_header_t element_header;
    uint8_t      client_swapped;
    uint8_t      pad0[2];
    uint32_t     xid_base;
    uint32_t     server_time;
    uint32_t     rec_sequence_num;
    uint8_t      pad1[8];
} xcb_record_enable_context_reply_t;
```

Reply function

```
xcb_record_enable_context_reply_t *xcb_record_enable_context_reply(xcb_connection_t *conn,
    xcb_record_enable_context_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
uint8_t *xcb_record_enable_context_data(const xcb_record_enable_context_request_t *reply);
```

```
int xcb_record_enable_context_data_length(const xcb_record_enable_context_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_record_enable_context_data_end(const xcb_record_enable_context_reply_t
    *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

context TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_RECORD_ENABLE_CONTEXT*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

category TODO: NOT YET DOCUMENTED.

element_header
 TODO: NOT YET DOCUMENTED.

client_swapped TODO: NOT YET DOCUMENTED.

xid_base TODO: NOT YET DOCUMENTED.

server_time TODO: NOT YET DOCUMENTED.

rec_sequence_num
 TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_record_enable_context_cookie_t*. Errors have to be handled when calling the reply function *xcb_record_enable_context_reply*.

If you want to handle errors in the event loop instead, use *xcb_record_enable_context_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from record.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.