

`xcb_record_get_context(3)`

XCB Requests

`xcb_record_get_context(3)`

NAME

`xcb_record_get_context` -

SYNOPSIS

```
#include <xcb/record.h>
```

Request function

```
xcb_record_get_context_cookie_t xcb_record_get_context(xcb_connection_t *conn,  
                              xcb_record_context_t context);
```

Reply datastructure

```
typedef struct xcb_record_get_context_reply_t {  
    uint8_t                  response_type;  
    uint8_t                  enabled;  
    uint16_t                sequence;  
    uint32_t                length;  
    xcb_record_element_header_t element_header;  
    uint8_t                  pad0[3];  
    uint32_t                num_intercepted_clients;  
    uint8_t                  pad1[16];  
} xcb_record_get_context_reply_t;
```

Reply function

```
xcb_record_get_context_reply_t *xcb_record_get_context_reply(xcb_connection_t *conn,  
                              xcb_record_get_context_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
int xcb_record_get_context_intercepted_clients_length(const xcb_record_get_context_reply_t *reply);
```

```
xcb_record_client_info_iterator_t xcb_record_get_context_intercepted_clients_iterator(const  
                                      xcb_record_get_context_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

context TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_RECORD_GET_CONTEXT*. This field is

also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

enabled TODO: NOT YET DOCUMENTED.

element_header
TODO: NOT YET DOCUMENTED.

num_intercepted_clients
TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_record_get_context_cookie_t*. Errors have to be handled when calling the reply function *xcb_record_get_context_reply*.

If you want to handle errors in the event loop instead, use *xcb_record_get_context_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from record.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.