

NAME

xcb_record_register_clients -

SYNOPSIS

```
#include <xcb/record.h>
```

Request function

```
xcb_void_cookie_t xcb_record_register_clients(xcb_connection_t *conn,  
        xcb_record_context_t context, xcb_record_element_header_t element_header,  
        uint32_t num_client_specs, uint32_t num_ranges, const xcb_record_client_spec_t *client_specs,  
        const xcb_record_range_t *ranges);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

context TODO: NOT YET DOCUMENTED.

element_header
 TODO: NOT YET DOCUMENTED.

num_client_specs
 TODO: NOT YET DOCUMENTED.

num_ranges TODO: NOT YET DOCUMENTED.

client_specs TODO: NOT YET DOCUMENTED.

ranges TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_record_register_clients_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from record.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.