

**NAME**

xcb\_render\_create\_radial\_gradient -

**SYNOPSIS**

```
#include <xcb/render.h>
```

**Request function**

```
xcb_void_cookie_t xcb_render_create_radial_gradient(xcb_connection_t *conn,  
    xcb_render_picture_t picture, xcb_render_pointfix_t inner, xcb_render_pointfix_t outer,  
    xcb_render_fixed_t inner_radius, xcb_render_fixed_t outer_radius, uint32_t num_stops, const  
    xcb_render_fixed_t *stops, const xcb_render_color_t *colors);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>picture</i>	TODO: NOT YET DOCUMENTED.
<i>inner</i>	TODO: NOT YET DOCUMENTED.
<i>outer</i>	TODO: NOT YET DOCUMENTED.
<i>inner_radius</i>	TODO: NOT YET DOCUMENTED.
<i>outer_radius</i>	TODO: NOT YET DOCUMENTED.
<i>num_stops</i>	TODO: NOT YET DOCUMENTED.
<i>stops</i>	TODO: NOT YET DOCUMENTED.
<i>colors</i>	TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_render\_create\_radial\_gradient\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO**

**AUTHOR**

Generated from render.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.