

**NAME**

`xcb_reparent_notify_event_t` -

**SYNOPSIS**

```
#include <xcb/xproto.h>
```

**Event datastructure**

```
typedef struct xcb_reparent_notify_event_t {  
    uint8_t    response_type;  
    uint8_t    pad0;  
    uint16_t   sequence;  
    xcb_window_t event;  
    xcb_window_t window;  
    xcb_window_t parent;  
    int16_t    x;  
    int16_t    y;  
    uint8_t    override_redirect;  
    uint8_t    pad1[3];  
} xcb_reparent_notify_event_t;
```

**EVENT FIELDS**

*response\_type* The type of this event, in this case *XCB\_REPARENT\_NOTIFY*. This field is also present in the *xcb\_generic\_event\_t* and can be used to tell events apart from each other.

*sequence* The sequence number of the last request processed by the X11 server.

*event* NOT YET DOCUMENTED.

*window* NOT YET DOCUMENTED.

*parent* NOT YET DOCUMENTED.

*x* NOT YET DOCUMENTED.

*y* NOT YET DOCUMENTED.

*override\_redirect*  
NOT YET DOCUMENTED.

**DESCRIPTION****SEE ALSO****AUTHOR**

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.