

NAME

xcb_screensaver_query_info -

SYNOPSIS

```
#include <xcb/screensaver.h>
```

Request function

```
xcb_screensaver_query_info_cookie_t xcb_screensaver_query_info(xcb_connection_t *conn,
    xcb_drawable_t drawable);
```

Reply datastructure

```
typedef struct xcb_screensaver_query_info_reply_t {
    uint8_t    response_type;
    uint8_t    state;
    uint16_t   sequence;
    uint32_t   length;
    xcb_window_t saver_window;
    uint32_t   ms_until_server;
    uint32_t   ms_since_user_input;
    uint32_t   event_mask;
    uint8_t    kind;
    uint8_t    pad0[7];
} xcb_screensaver_query_info_reply_t;
```

Reply function

```
xcb_screensaver_query_info_reply_t *xcb_screensaver_query_info_reply(xcb_connection_t *conn,
    xcb_screensaver_query_info_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

drawable TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_SCREENSAVER_QUERY_INFO*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

state TODO: NOT YET DOCUMENTED.

saver_window TODO: NOT YET DOCUMENTED.

ms_until_server
 TODO: NOT YET DOCUMENTED.

ms_since_user_input
 TODO: NOT YET DOCUMENTED.

event_mask TODO: NOT YET DOCUMENTED.

kind TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_screensaver_query_info_cookie_t*. Errors have to be handled when calling the reply function *xcb_screensaver_query_info_reply*.

If you want to handle errors in the event loop instead, use *xcb_screensaver_query_info_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from screensaver.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.