

**NAME**

xcb\_selection\_request\_event\_t -

**SYNOPSIS**

```
#include <xcb/xproto.h>
```

**Event datastructure**

```
typedef struct xcb_selection_request_event_t {
    uint8_t    response_type;
    uint8_t    pad0;
    uint16_t   sequence;
    xcb_timestamp_t time;
    xcb_window_t owner;
    xcb_window_t requestor;
    xcb_atom_t  selection;
    xcb_atom_t  target;
    xcb_atom_t  property;
} xcb_selection_request_event_t;
```

**EVENT FIELDS**

*response\_type* The type of this event, in this case *XCB\_SELECTION\_REQUEST*. This field is also present in the *xcb\_generic\_event\_t* and can be used to tell events apart from each other.

*sequence* The sequence number of the last request processed by the X11 server.

*time* NOT YET DOCUMENTED.

*owner* NOT YET DOCUMENTED.

*requestor* NOT YET DOCUMENTED.

*selection* NOT YET DOCUMENTED.

*target* NOT YET DOCUMENTED.

*property* NOT YET DOCUMENTED.

**DESCRIPTION**

**SEE ALSO**

**AUTHOR**

Generated from xproto.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.