

NAME

`xcb_set_clip_rectangles` -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_void_cookie_t xcb_set_clip_rectangles(xcb_connection_t *conn, uint8_t ordering,
      xcb_gcontext_t gc, int16_t clip_x_origin, int16_t clip_y_origin, uint32_t rectangles_len, const
      xcb_rectangle_t *rectangles);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

ordering One of the following values:

XCB_CLIP_ORDERING_UNSORTED
 TODO: NOT YET DOCUMENTED.

XCB_CLIP_ORDERING_Y_SORTED
 TODO: NOT YET DOCUMENTED.

XCB_CLIP_ORDERING_YX_SORTED
 TODO: NOT YET DOCUMENTED.

XCB_CLIP_ORDERING_YX_BANDED
 TODO: NOT YET DOCUMENTED.
 TODO: NOT YET DOCUMENTED.

gc TODO: NOT YET DOCUMENTED.

clip_x_origin TODO: NOT YET DOCUMENTED.

clip_y_origin TODO: NOT YET DOCUMENTED.

rectangles_len TODO: NOT YET DOCUMENTED.

rectangles TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_set_clip_rectangles_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.