

NAME

xcb_set_pointer_mapping -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Request function

```
xcb_set_pointer_mapping_cookie_t xcb_set_pointer_mapping(xcb_connection_t *conn,
    uint8_t map_len, const uint8_t *map);
```

Reply datastructure

```
typedef struct xcb_set_pointer_mapping_reply_t {
    uint8_t response_type;
    uint8_t status;
    uint16_t sequence;
    uint32_t length;
} xcb_set_pointer_mapping_reply_t;
```

Reply function

```
xcb_set_pointer_mapping_reply_t *xcb_set_pointer_mapping_reply(xcb_connection_t *conn,
    xcb_set_pointer_mapping_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>map_len</i>	TODO: NOT YET DOCUMENTED.
<i>map</i>	TODO: NOT YET DOCUMENTED.

REPLY FIELDS

<i>response_type</i>	The type of this reply, in this case <i>XCB_SET_POINTER_MAPPING</i> . This field is also present in the <i>xcb_generic_reply_t</i> and can be used to tell replies apart from each other.
<i>sequence</i>	The sequence number of the last request processed by the X11 server.
<i>length</i>	The length of the reply, in words (a word is 4 bytes).
<i>status</i>	One of the following values:

XCB_MAPPING_STATUS_SUCCESS

TODO: NOT YET DOCUMENTED.

XCB_MAPPING_STATUS_BUSY

TODO: NOT YET DOCUMENTED.

XCB_MAPPING_STATUS_FAILURE

TODO: NOT YET DOCUMENTED.

TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_set_pointer_mapping_cookie_t*. Errors have to be handled when calling the reply function *xcb_set_pointer_mapping_reply*.

If you want to handle errors in the event loop instead, use *xcb_set_pointer_mapping_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.