

**NAME**

xcb\_shape\_input\_selected -

**SYNOPSIS**

```
#include <xcb/shape.h>
```

**Request function**

```
xcb_shape_input_selected_cookie_t xcb_shape_input_selected(xcb_connection_t *conn,
    xcb_window_t destination_window);
```

**Reply datastructure**

```
typedef struct xcb_shape_input_selected_reply_t {
    uint8_t response_type;
    uint8_t enabled;
    uint16_t sequence;
    uint32_t length;
} xcb_shape_input_selected_reply_t;
```

**Reply function**

```
xcb_shape_input_selected_reply_t *xcb_shape_input_selected_reply(xcb_connection_t *conn,
    xcb_shape_input_selected_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

*conn*            The XCB connection to X11.

*destination\_window*  
 TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

*response\_type*    The type of this reply, in this case *XCB\_SHAPE\_INPUT\_SELECTED*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*        The sequence number of the last request processed by the X11 server.

*length*           The length of the reply, in words (a word is 4 bytes).

*enabled*          TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_shape\_input\_selected\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_shape\_input\_selected\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_shape\_input\_selected\_unchecked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

Generated from shape.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.