

NAME

`xcb_shape_rectangles` -

SYNOPSIS

```
#include <xcb/shape.h>
```

Request function

```
xcb_void_cookie_t xcb_shape_rectangles(xcb_connection_t *conn, xcb_shape_op_t operation,  
                                       xcb_shape_kind_t destination_kind, uint8_t ordering, xcb_window_t destination_window,  
                                       int16_t x_offset, int16_t y_offset, uint32_t rectangles_len, const xcb_rectangle_t *rectangles);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

operation TODO: NOT YET DOCUMENTED.

destination_kind
TODO: NOT YET DOCUMENTED.

ordering TODO: NOT YET DOCUMENTED.

destination_window
TODO: NOT YET DOCUMENTED.

x_offset TODO: NOT YET DOCUMENTED.

y_offset TODO: NOT YET DOCUMENTED.

rectangles_len TODO: NOT YET DOCUMENTED.

rectangles TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_shape_rectangles_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from shape.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.