

NAME

xcb_shm_create_pixmap -

SYNOPSIS

```
#include <xcb/shm.h>
```

Request function

```
xcb_void_cookie_t xcb_shm_create_pixmap(xcb_connection_t *conn, xcb_pixmap_t pid,  
    xcb_drawable_t drawable, uint16_t width, uint16_t height, uint8_t depth, xcb_shm_seg_t shmseg,  
    uint32_t offset);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>pid</i>	TODO: NOT YET DOCUMENTED.
<i>drawable</i>	TODO: NOT YET DOCUMENTED.
<i>width</i>	TODO: NOT YET DOCUMENTED.
<i>height</i>	TODO: NOT YET DOCUMENTED.
<i>depth</i>	TODO: NOT YET DOCUMENTED.
<i>shmseg</i>	TODO: NOT YET DOCUMENTED.
<i>offset</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_shm_create_pixmap_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from shm.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.