

NAME

xcb_sync_list_system_counters -

SYNOPSIS

```
#include <xcb/sync.h>
```

Request function

```
xcb_sync_list_system_counters_cookie_t xcb_sync_list_system_counters(xcb_connection_t *conn,
```

Reply datastructure

```
typedef struct xcb_sync_list_system_counters_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t counters_len;
    uint8_t pad1[20];
} xcb_sync_list_system_counters_reply_t;
```

Reply function

```
xcb_sync_list_system_counters_reply_t
*xcb_sync_list_system_counters_reply(xcb_connection_t *conn,
    xcb_sync_list_system_counters_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
int xcb_sync_list_system_counters_counters_length(const xcb_sync_list_system_counters_reply_t
    *reply);
```

```
xcb_sync_systemcounter_iterator_t xcb_sync_list_system_counters_counters_iterator(const
    xcb_sync_list_system_counters_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

REPLY FIELDS

response_type The type of this reply, in this case `XCB_SYNC_LIST_SYSTEM_COUNTERS`. This field is also present in the `xcb_generic_reply_t` and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

counters_len TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_sync_list_system_counters_cookie_t*. Errors have to be handled when calling the reply function *xcb_sync_list_system_counters_reply*.

If you want to handle errors in the event loop instead, use *xcb_sync_list_system_counters_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from sync.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.