

NAME

xcb_test_compare_cursor -

SYNOPSIS

```
#include <xcb/xtest.h>
```

Request function

```
xcb_test_compare_cursor_cookie_t xcb_test_compare_cursor(xcb_connection_t *conn,  
xcb_window_t window, xcb_cursor_t cursor);
```

Reply datastructure

```
typedef struct xcb_test_compare_cursor_reply_t {  
    uint8_t response_type;  
    uint8_t same;  
    uint16_t sequence;  
    uint32_t length;  
} xcb_test_compare_cursor_reply_t;
```

Reply function

```
xcb_test_compare_cursor_reply_t *xcb_test_compare_cursor_reply(xcb_connection_t *conn,  
xcb_test_compare_cursor_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

window TODO: NOT YET DOCUMENTED.

cursor TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_TEST_COMPARE_CURSOR*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

same TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_test_compare_cursor_cookie_t*. Errors have to be handled when calling the reply function *xcb_test_compare_cursor_reply*.

If you want to handle errors in the event loop instead, use *xcb_test_compare_cursor_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xtest.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.