

NAME

xcb_test_fake_input -

SYNOPSIS

```
#include <xcb/xtest.h>
```

Request function

```
xcb_void_cookie_t xcb_test_fake_input(xcb_connection_t *conn, uint8_t type, uint8_t detail,  
uint32_t time, xcb_window_t root, int16_t rootX, int16_t rootY, uint8_t deviceid);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>type</i>	TODO: NOT YET DOCUMENTED.
<i>detail</i>	TODO: NOT YET DOCUMENTED.
<i>time</i>	TODO: NOT YET DOCUMENTED.
<i>root</i>	TODO: NOT YET DOCUMENTED.
<i>rootX</i>	TODO: NOT YET DOCUMENTED.
<i>rootY</i>	TODO: NOT YET DOCUMENTED.
<i>deviceid</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_test_fake_input_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xtest.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.