

NAME

`xcb_x_print_create_context` -

SYNOPSIS

```
#include <xcb/xprint.h>
```

Request function

```
xcb_void_cookie_t xcb_x_print_create_context(xcb_connection_t *conn, uint32_t context_id,  
uint32_t printerNameLen, uint32_t localeLen, const xcb_x_print_string8_t *printerName, const  
xcb_x_print_string8_t *locale);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>context_id</i>	TODO: NOT YET DOCUMENTED.
<i>printerNameLen</i>	TODO: NOT YET DOCUMENTED.
<i>localeLen</i>	TODO: NOT YET DOCUMENTED.
<i>printerName</i>	TODO: NOT YET DOCUMENTED.
<i>locale</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION**RETURN VALUE**

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_x_print_create_context_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO**AUTHOR**

Generated from xprint.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.