

xcb_x_print_get_document_data(3) XCB Requests xcb_x_print_get_document_data(3)

NAME

xcb_x_print_get_document_data -

SYNOPSIS

```
#include <xcb/xprint.h>
```

Request function

```
xcb_x_print_get_document_data_cookie_t  
xcb_x_print_get_document_data(xcb_connection_t *conn, xcb_x_print_pcontext_t context,  
uint32_t max_bytes);
```

Reply datastructure

```
typedef struct xcb_x_print_get_document_data_reply_t {  
    uint8_t response_type;  
    uint8_t pad0;  
    uint16_t sequence;  
    uint32_t length;  
    uint32_t status_code;  
    uint32_t finished_flag;  
    uint32_t dataLen;  
    uint8_t pad1[12];  
} xcb_x_print_get_document_data_reply_t;
```

Reply function

```
xcb_x_print_get_document_data_reply_t  
*xcb_x_print_get_document_data_reply(xcb_connection_t *conn,  
xcb_x_print_get_document_data_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
uint8_t *xcb_x_print_get_document_data_data(const  
xcb_x_print_get_document_data_request_t *reply);
```

```
int xcb_x_print_get_document_data_data_length(const  
xcb_x_print_get_document_data_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_x_print_get_document_data_data_end(const  
xcb_x_print_get_document_data_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

context TODO: NOT YET DOCUMENTED.

max_bytes TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case

XCB_X_PRINT_PRINT_GET_DOCUMENT_DATA. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

status_code TODO: NOT YET DOCUMENTED.

finished_flag TODO: NOT YET DOCUMENTED.

dataLen TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_x_print_print_get_document_data_cookie_t*. Errors have to be handled when calling the reply function *xcb_x_print_print_get_document_data_reply*.

If you want to handle errors in the event loop instead, use

xcb_x_print_print_get_document_data_unchecked. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xprint.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.