

**NAME**

xcb\_x\_print\_print\_get\_one\_attributes -

**SYNOPSIS**

```
#include <xcb/xprint.h>
```

**Request function**

```
xcb_x_print_print_get_one_attributes_cookie_t
xcb_x_print_print_get_one_attributes(xcb_connection_t *conn, xcb_x_print_pcontext_t context,
uint32_t nameLen, uint8_t pool, const xcb_x_print_string8_t *name);
```

**Reply datastructure**

```
typedef struct xcb_x_print_print_get_one_attributes_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t valueLen;
    uint8_t pad1[20];
} xcb_x_print_print_get_one_attributes_reply_t;
```

**Reply function**

```
xcb_x_print_print_get_one_attributes_reply_t
*xcb_x_print_print_get_one_attributes_reply(xcb_connection_t *conn,
xcb_x_print_print_get_one_attributes_cookie_t cookie, xcb_generic_error_t **e);
```

**Reply accessors**

```
xcb_x_print_string8_t *xcb_x_print_print_get_one_attributes_value(const
xcb_x_print_print_get_one_attributes_request_t *reply);
```

```
int xcb_x_print_print_get_one_attributes_value_length(const
xcb_x_print_print_get_one_attributes_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_x_print_print_get_one_attributes_value_end(const
xcb_x_print_print_get_one_attributes_reply_t *reply);
```

**REQUEST ARGUMENTS**

*conn*            The XCB connection to X11.

*context*        TODO: NOT YET DOCUMENTED.

*nameLen*        TODO: NOT YET DOCUMENTED.

*pool*            TODO: NOT YET DOCUMENTED.

*name*            TODO: NOT YET DOCUMENTED.

## REPLY FIELDS

*response\_type*   The type of this reply, in this case  
*XCB\_X\_PRINT\_PRINT\_GET\_ONE\_ATTRIBUTES*. This field is also present in the  
*xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*        The sequence number of the last request processed by the X11 server.

*length*          The length of the reply, in words (a word is 4 bytes).

*valueLen*        TODO: NOT YET DOCUMENTED.

## DESCRIPTION

### RETURN VALUE

Returns an *xcb\_x\_print\_print\_get\_one\_attributes\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_x\_print\_print\_get\_one\_attributes\_reply*.

If you want to handle errors in the event loop instead, use  
*xcb\_x\_print\_print\_get\_one\_attributes\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

### AUTHOR

Generated from xprint.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.