

NAME

xcb_x_print_print_get_one_attributes -

SYNOPSIS

```
#include <xcb/xprint.h>
```

Request function

```
xcb_x_print_print_get_one_attributes_cookie_t
xcb_x_print_print_get_one_attributes(xcb_connection_t *conn, xcb_x_print_pcontext_t context,
uint32_t nameLen, uint8_t pool, const xcb_x_print_string8_t *name);
```

Reply datastructure

```
typedef struct xcb_x_print_print_get_one_attributes_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t valueLen;
    uint8_t pad1[20];
} xcb_x_print_print_get_one_attributes_reply_t;
```

Reply function

```
xcb_x_print_print_get_one_attributes_reply_t
*xcb_x_print_print_get_one_attributes_reply(xcb_connection_t *conn,
xcb_x_print_print_get_one_attributes_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
xcb_x_print_string8_t *xcb_x_print_print_get_one_attributes_value(const
xcb_x_print_print_get_one_attributes_request_t *reply);
```

```
int xcb_x_print_print_get_one_attributes_value_length(const
xcb_x_print_print_get_one_attributes_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_x_print_print_get_one_attributes_value_end(const
xcb_x_print_print_get_one_attributes_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

context TODO: NOT YET DOCUMENTED.

nameLen TODO: NOT YET DOCUMENTED.

pool TODO: NOT YET DOCUMENTED.

name TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case
XCB_X_PRINT_PRINT_GET_ONE_ATTRIBUTES. This field is also present in the
xcb_generic_reply_t and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

valueLen TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_x_print_print_get_one_attributes_cookie_t*. Errors have to be handled when calling the reply function *xcb_x_print_print_get_one_attributes_reply*.

If you want to handle errors in the event loop instead, use
xcb_x_print_print_get_one_attributes_unchecked. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xprint.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.