

**NAME**

`xcb_x_print_print_get_screen_of_context` -

**SYNOPSIS**

```
#include <xcb/xprint.h>
```

**Request function**

```
xcb_x_print_print_get_screen_of_context_cookie_t
xcb_x_print_print_get_screen_of_context(xcb_connection_t *conn,
```

**Reply datastructure**

```
typedef struct xcb_x_print_print_get_screen_of_context_reply_t {
    uint8_t    response_type;
    uint8_t    pad0;
    uint16_t   sequence;
    uint32_t   length;
    xcb_window_t root;
} xcb_x_print_print_get_screen_of_context_reply_t;
```

**Reply function**

```
xcb_x_print_print_get_screen_of_context_reply_t
*xcb_x_print_print_get_screen_of_context_reply(xcb_connection_t *conn,
    xcb_x_print_print_get_screen_of_context_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

*conn* The XCB connection to X11.

**REPLY FIELDS**

*response\_type* The type of this reply, in this case *XCB\_X\_PRINT\_PRINT\_GET\_SCREEN\_OF\_CONTEXT*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence* The sequence number of the last request processed by the X11 server.

*length* The length of the reply, in words (a word is 4 bytes).

*root* TODO: NOT YET DOCUMENTED.

**DESCRIPTION**

## RETURN VALUE

Returns an `xcb_x_print_print_get_screen_of_context_cookie_t`. Errors have to be handled when calling the reply function `xcb_x_print_print_get_screen_of_context_reply`.

If you want to handle errors in the event loop instead, use `xcb_x_print_print_get_screen_of_context_unchecked`. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

## AUTHOR

Generated from xprint.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.