

**NAME**

xcb\_x\_print\_print\_input\_selected -

**SYNOPSIS**

```
#include <xcb/xprint.h>
```

**Request function**

```
xcb_x_print_print_input_selected_cookie_t
    xcb_x_print_print_input_selected(xcb_connection_t *conn, xcb_x_print_pcontext_t context);
```

**Reply datastructure**

```
typedef struct xcb_x_print_print_input_selected_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t event_mask;
    uint32_t all_events_mask;
} xcb_x_print_print_input_selected_reply_t;
```

**Reply function**

```
xcb_x_print_print_input_selected_reply_t
    *xcb_x_print_print_input_selected_reply(xcb_connection_t *conn,
    xcb_x_print_print_input_selected_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

*conn*           The XCB connection to X11.

*context*        TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

*response\_type*   The type of this reply, in this case *XCB\_X\_PRINT\_PRINT\_INPUT\_SELECTED*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*        The sequence number of the last request processed by the X11 server.

*length*          The length of the reply, in words (a word is 4 bytes).

*event\_mask*    TODO: NOT YET DOCUMENTED.

*all\_events\_mask*  
                  TODO: NOT YET DOCUMENTED.

## DESCRIPTION

## RETURN VALUE

Returns an *xcb\_x\_print\_print\_input\_selected\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_x\_print\_print\_input\_selected\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_x\_print\_print\_input\_selected\_unchecked*. See **xcb-requests(3)** for details.

## ERRORS

This request does never generate any errors.

## SEE ALSO

## AUTHOR

Generated from xprint.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.