

NAME

`xcb_x_print_print_put_document_data` -

SYNOPSIS

```
#include <xcb/xprint.h>
```

Request function

```
xcb_void_cookie_t xcb_x_print_print_put_document_data(xcb_connection_t *conn,  
xcb_drawable_t drawable, uint32_t len_data, uint16_t len_fmt, uint16_t len_options, const  
uint8_t *data, const xcb_x_print_string8_t *doc_format, const xcb_x_print_string8_t *options);
```

REQUEST ARGUMENTS

<i>conn</i>	The XCB connection to X11.
<i>drawable</i>	TODO: NOT YET DOCUMENTED.
<i>len_data</i>	TODO: NOT YET DOCUMENTED.
<i>len_fmt</i>	TODO: NOT YET DOCUMENTED.
<i>len_options</i>	TODO: NOT YET DOCUMENTED.
<i>data</i>	TODO: NOT YET DOCUMENTED.
<i>doc_format</i>	TODO: NOT YET DOCUMENTED.
<i>options</i>	TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_void_cookie_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb_request_check* instead, use *xcb_x_print_print_put_document_data_checked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xprint.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.