

NAME

xcb_xc_misc_get_xid_list -

SYNOPSIS

```
#include <xcb/xc_misc.h>
```

Request function

```
xcb_xc_misc_get_xid_list_cookie_t xcb_xc_misc_get_xid_list(xcb_connection_t *conn,
    uint32_t count);
```

Reply datastructure

```
typedef struct xcb_xc_misc_get_xid_list_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t ids_len;
    uint8_t pad1[20];
} xcb_xc_misc_get_xid_list_reply_t;
```

Reply function

```
xcb_xc_misc_get_xid_list_reply_t *xcb_xc_misc_get_xid_list_reply(xcb_connection_t *conn,
    xcb_xc_misc_get_xid_list_cookie_t cookie, xcb_generic_error_t **e);
```

Reply accessors

```
uint32_t *xcb_xc_misc_get_xid_list_ids(const xcb_xc_misc_get_xid_list_request_t *reply);
```

```
int xcb_xc_misc_get_xid_list_ids_length(const xcb_xc_misc_get_xid_list_reply_t *reply);
```

```
xcb_generic_iterator_t xcb_xc_misc_get_xid_list_ids_end(const xcb_xc_misc_get_xid_list_reply_t
    *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

count TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_XC_MISC_GET_XID_LIST*. This field is

also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

ids_len TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_xc_misc_get_xid_list_cookie_t*. Errors have to be handled when calling the reply function *xcb_xc_misc_get_xid_list_reply*.

If you want to handle errors in the event loop instead, use *xcb_xc_misc_get_xid_list_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from xc_misc.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.